GENERAL AND REVENUE SECRETARIAT.

1909-10
(Genl. Dis.)

File No. 45-09

Serial Nos. 3 & 4

Papers Filed.

Month September 09

SUBJECT.

Opening of additional rain gauge stations at Santemarahalli Hdigala & Attakalpura in the Chamarajnagar Taluk.

PREVIOUS REFERENCES.	LATER REFERENCES.

G.R.S.11] 1909-10

GENERAL AND REVENUE SECRETARIAT

(Gen-Misc.)

NOTES.

File No. 45

FILE HEADING.

Rainguage Stations

From

The Chief Observer in Charge, Meteorological Dept.

No. 85 Dated 25.8.09 Received 26.8.09

Diary No. 894 | Enclos. 1 Spare Copies | Serial No. 3

BRIEF ABSTRACT OF LETTER.

Solicits sanction for opening three additional rainguage stations in the Bhamaraja Taluq, viz-at Sankemarahalli, Udigala Hattahalpur.

NOTES AND ORDERS.

Submit for orders with a copy of G.O.

2nd Dy

1784

Draft approved

Issued

NOTES—First sheet

GPB—30,000—3-4-07.

G. R. S. 12]

General and Revenue Secretariat.

Simla File No. 45 of 1909-10

Serial No.	
4	To the Chief Observer in charge of Met Dept, the Dy Cantt Engineer, the Chief Engineer & Comptroller — No G 1496-9 dt 9-9-09. Approves of the recommendation made in ¶ 3.

7
15/9/09

NOTE—Contn. sheet.

GPB—50,000—13-5-08

B. 894

No. 85. fm 45-09 Se 3

From

N. Venkatesa Iyengar, Esq., B.A.,
Chief Observer in charge,
Mysore Meteorological Department.

To

K.S. Chandrasekhara Aiyar, Esq., B.A., B.L.,
Secretary to the Government of
His Highness the Maharaja of Mysore,
Genl. & Rev. Depts.

Dated Bangalore, the 25th August 1909.

Sir,

I have the honor to submit that the Deputy Commissioner, Mysore District, proposes, in his letter No.832 dated the 20th August 1909, the opening of four additional Rain Gauge Stations at Attagulipura, Udigala, Santemarahalli and Kagalvadi in the Chamarajnagar Taluk, as in his opinion and that of the Sub Division Officer of Nanjangud and also of the Amildar of the Chamarajnagar Taluk, it is not possible to know the rainfall in different parts of the said Taluk, there being at present only one Rain Gauge Station for the whole Taluk. The Amildar reports that the Daffedars of Police Stations at the above mentioned villages may be put in charge of the Rain Gauges and instructed to do the rain recording work.

As shown in the annexed sketch map of the Chamarajnagar Taluk, Santemarahalli, Udigala, Attakalpur (Attagulipura) are fairly representative of the parts of the Taluk in which they are situated. Kagalvadi being only five or six miles from Chamarajnagar, a Rain Gauge Station appears to be unnecessary there.

In the circumstances above represented, I have the honor to request the early sanction of Government for establishing three additional Rain Gauge Stations at Santemarahalli Udigala and Attakalpur in the Chamarajnagar Taluk.

I have the honor to be,

Sir,

Your most obedient servant,

A. Venkatesa Iyengar

Chief Observer in charge,
Mysore Met. Dept.

Y.S.

Scale 8 miles to the inch

Chamarajanagar Taluq

from Chamarajanagar. Attagulipura is 8 miles (SE)
" Udepala - 8 miles (SW)
" Kapalvadi about 5½ miles (ENE)
" Santemarahalli — 10 miles (NNE)

G.R.S. 28]

fm 4859-10

File No.

Serial No. 4

Diary No. of letter replied to

Proceedings of the Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE SECRETARIAT.

(

, *the* 190

Date of issue 9.9.09

Signed by M.C.S. Balasundaram

READ—

Letter No. 85 dated 25th August 1909 from the Chief Observer in charge of the meteorological Deptt. communicating the proposal of the Dy. Com^r, Mysore, to open four additional rain-gauge stations at Attagulipura, Hadigala, Santemarahalli & Kagalavadi in the Chamarajanagar taluk on the ground only one station for the whole taluk and recommending the opening of the stations in the places proposed except at Kagalavadi which is only about 5 miles from Chamarajanagar.

over

ORDER THEREON. No.

SUBJECT

GPB—6,000—13-5-08

(5)

Order thereon:- G 1496.9 & 9.9.09 ab

~~Govt are pleased to~~

~~approve of the~~ The recommendation of

The Chief Observer to Open Three

Additional

~~the~~ rain-gauge stations at ~~each~~

~~of the~~ Santemaralli, Hedigala

and Attagulipura is ~~the~~ approved

2) The Dy. Comm^r will

make suitable arrangements

for recording the fall of rain

at the above stations

CSB 28/09

By Secy to Govt

30/8/09

To The Chief Observer in charge Met Deptt

The Dy. Com^r, Mysore Distt.

The Chief ~~Observer~~ Engineer of Mysore.

and

The Comptroller